ELSEVIER

Neuroscience Letters 243 (1998) 158–160

Neuroscience Letters

Author Index to Volume 243

Abad, F., Feria, M., Sánchez, A., González Mora, J.L., Autotomy in rats following peripheral nerve transection is attenuated by preceding formalin injections into the same limb, 125
Abe, K., see Ohmori, O., 109
Aguado, F., Majó, G., Gómez de Aranda, I., Ferrer, I., Trk neurotrophin receptor family immunoreactivity in rat and human pituitary tissues, 13
Ahn, D.K., Kim, Y.S., Park, J.S., Central NO is involved in the antinociceptive action of intracisternal antidepressants in freely moving rats, 105
Angulo, J., see Mermet, N., 97
Antal, A., see Kéri, S., 93
Antal, A., see Peppe, A., 5
Arai, N., see Hayash, M., 117
Arai, R., see Ikemoto, K., 129
Araneda, S., see Mermet, N., 97

Baruzzi, F., see Paterlini, M., 77
Benedek, G., see Kéri, S., 93
Bianchi, L., see Giovannini, M.G., 152
Blessing, W.W., Lappi, D.A., Wiley, R.G., Destruction of locus coeruleus neuronal perikarya after injection of anti-dopamine-B-hydroxylase immunotoxin into the olfactory bulb of the rat, 85
Bodis-Wollner, I., see Peppe, A., 5

Cavallaro, S., see D'Agata, V., 137
Chul Lee, J., see Ho Won, M., 53

D'Agata, V., Magro, G., Travali, S., Musco, S., Cavallaro, S., Cloning and expression of the programmed cell death regulator Bad in the rat brain, 137
del Moral, M.L., see Esteban, F.J., 45
Della Corte, L., see Giovannini, M.G., 152
Di Francesco, P., see Maharajan, P., 65

Esteban, F.J., Pedrosa, J.A., Jiménez, A., del Moral, M.L., Rodrigo, J., Peinado, M.A., Nitrergic innervation of the cat liver, 45

Falchetti, R., see Maharajan, P., 65
Feria, M., see Abad, F., 125
Ferrer, I., see Aguado, F., 13
French, A.S., Torkkeli, P.H., Information transmission at 500 bits/s by action potentials in a mechanosensory neuron of the cockroach, 113
Fujimiya, M., see Yamamoto, H., 21
Fujimura, M., see Yamamoto, H., 21
Fujita, H., see Sano, M., 73
Funahashi, H., see Shioda, S., 41

Gómez de Aranda, I., see Aguado, F., 13
Geffard, M., see Kitahama, K., 1
Georg Margineanu, D., see Wülfert, E., 141
Giovannini, M.G., Rakovska, A., Della Corte, L., Bianchi, L., Pepeu, G., Activation of non-NMDA receptors stimulates acetylcholine and GABA release from dorsal hippocampus: a microdialysis study in the rat, 152
González Mora, J.L., see Abad, F., 125
Gyo Suh, J., see Ho Won, M., 53

Ha, J.H., see Koh, H.C., 81
Hao, J.-X., see Sjölund, K.-F., 89
Hara, K., see Yanagihara, N., 25
Hayash, M., Arai, N., Murakami, T., Yoshio, M., Oda, M., Matsuyama, H., A study of cell death in Werdnig Hoffmann disease brain, 117
Hayashi, M., see Kohji, T., 133
Hirano, H., see Yanagihara, N., 25
Ho Won, M., Ohno, T., Gyo Suh, J., Chul Lee, J., Mook Jo, S., Seok Oh, Y., Namikawa, T., Kitoh, J., Serotonergic neurons are present and innervate blood vessels in the olfactory bulb of the laboratory shrew, *Suncus murinus*, 53
Horiba, N., see Kageyama, K., 17
Hwang, S.J., see Koh, H.C., 81

Ikemoto, K., Nagatsu, I., Kitahama, K., Jouvet, A., Nishimura, A., Nishi, K., Maeda, T., Arai, R., A dopamine-synthesizing cell group demonstrated in the human basal forebrain by dual labeling immunohistochemical technique of tyrosine hydroxylase and aromatic L-amino acid decarboxylase, 129
Ikemoto, K., see Kitahama, K., 1
Izumi, F., see Yanagihara, N., 25

Jancsó, G., see Sántha, P., 101
Janka, Z., see Kéri, S., 93
Jiménez, A., see Esteban, F.J., 45
Jouvet, A., see Ikemoto, K., 129
Jouvet, A., see Kitahama, K., 1

Kéri, S., Szekeres, G., Kelemen, O., Antal, A., Szendi, I., Kovács, Z., Benedek, G., Janka, Z., Abstraction is impaired at the perceptual level in schizophrenic patients, 93
Kageyama, K., Tozawa, F., Horiba, N., Watanobe, H., Suda, T., Serotonin stimulates corticotropin-releasing factor gene expression in the hypothalamic paraventricular nucleus of conscious rats, 17
Kajiwara, K., see Yanagihara, N., 25
Kang, J.S., see Koh, H.C., 81
Kelemen, O., see Kéri, S., 93
Kim, Y.S., see Ahn, D.K., 105
Kitahama, K., Ikemoto, K., Jouvet, A., Nagatsu, I., Geffard, M., Okamura, H., Pearson, J., Dopamine synthesizing enzymes in paraventricular hypothalamic neurons of the human and monkey (*Macaca fuscata*), 1
Kitahama, K., see Ikemoto, K., 129
Kitoh, J., see Ho Won, M., 53
Koh, H.C., Shin, I.C., Hwang, S.J., Kang, J.S., Lee, C.H., Ha, J.H., Paik, D.J., Mediation of the cardiovascular response of adenosine A_1 receptor through a $GABA_B$ receptor in the spinal cord of the rat, 81
Kohji, T., Hayashi, M., Shioda, K., Minagawa, M., Morimatsu, Y., Tama-

PII S0304-3940(98)00125-6

gawa, K., Oda, M., Cerebellar neurodegeneration in human hereditary DNA repair disorders, 133
Kojima, H., see Ohmori, O., 109
Kovács, Z., see Kéri, S., 93
Krenz, N.R., Weaver, L.C., Changes in the morphology of sympathetic preganglionic neurons parallel the development of autonomic dysreflexia after spinal cord injury in rats, 61
Kuo, J.-S., see Yang, C.-S., 33

Lappi, D.A., see Blessing, W.W., 85
Lee, C.H., see Koh, H.C., 81
Lin, N.-N., see Yang, C.-S., 33

Maeda, T., see Ikemoto, K., 129
Maeda, T., see Yamamoto, H., 21
Magro, G., see D'Agata, V., 137
Maharajan, P., Prencipe, R., Falchetti, R., Di Francesco, P., Paino, G., Maharajan, V., Chronic morphine alters calbindin D-28k immunostaining patterns in mouse forebrain, 65
Maharajan, V., see Maharajan, P., 65
Majó, G., see Aguado, F., 13
Maruta, O., see Shioda, S., 41
Matsumoto, A., Prins, G.S., Age-dependent changes in androgen receptor immunoreactivity in motoneurons of the spinal nucleus of the bulbocavernosus of male rats, 29
Matsuyama, H., see Hayash, M., 117
Medina, M., see Mermet, N., 97
Memo, M., see Paterlini, M., 77
Mermet, N., Angulo, J., Repérant, J., Medina, M., Araneda, S., Expression of Kin, a nuclear protein binding to curved DNA, in mammal and avian brains, 97
Mihara, M., see Tohgi, H., 37
Minagawa, M., see Kohji, T., 133
Minami, K., see Yanagihara, N., 25
Mita, T., see Ohmori, O., 109
Mook Jo, S., see Ho Won, M., 53
Morimatsu, Y., see Kohji, T., 133
Morita, I., see Sano, M., 73
Murakami, T., see Hayash, M., 117
Murota, S.-i., see Sano, M., 73
Musco, S., see D'Agata, V., 137

Nagane, Y., see Tohgi, H., 37
Nagao, M., see Sano, M., 73
Nagatsu, I., see Ikemoto, K., 129
Nagatsu, I., see Kitahama, K., 1
Nakai, Y., see Shioda, S., 41
Nakajo, S., see Shioda, S., 41
Namikawa, T., see Ho Won, M., 53
Niijima, A., An electrophysiological study on the autonomic innervation of the mesenteric lymph node in the rat, 144
Nishi, K., see Ikemoto, K., 129
Nishimura, A., see Ikemoto, K., 129
Nowak, J.Z., see Zawilska, J.B., 49
Nowak, Jr., T.S., see Suga, S., 57

Oda, M., see Hayash, M., 117
Oda, M., see Kohji, T., 133
Ohmori, O., Shinkai, T., Kojima, H., Terao, T., Suzuki, T., Mita, T., Abe, K., Association study of a functional catechol-*O*-methyltransferase gene polymorphism in Japanese schizophrenics, 109
Ohno, T., see Ho Won, M., 53
Okamura, H., see Kitahama, K., 1

Paik, D.J., see Koh, H.C., 81
Paino, G., see Maharajan, P., 65
Park, J.S., see Ahn, D.K., 105
Pasqualetti, P., see Rossi, S., 147
Paterlini, M., Valerio, A., Baruzzi, F., Memo, M., Spano, P., Opposing regulation of tau protein levels by ionotropic and metabotropic glutamate receptors in human NT2 neurons, 77
Pauri, F., see Rossi, S., 147
Pearson, J., see Kitahama, K., 1
Pedrosa, J.A., see Esteban, F.J., 45
Peinado, M.A., see Esteban, F.J., 45
Pepeu, G., see Giovannini, M.G., 152
Peppe, A., Antal, A., Tagliati, M., Stanzione, P., Bodis-Wollner, I., D1 agonist CY208–243 attenuates the pattern electroretinogram to low spatial frequency stimuli in the monkey, 5
Pierau, F.-K., see Sántha, P., 101
Prencipe, R., see Maharajan, P., 65
Prins, G.S., see Matsumoto, A., 29

Rakovska, A., see Giovannini, M.G., 152
Reiser, G., see Stix, B., 121
Repérant, J., see Mermet, N., 97
Rodrigo, J., see Esteban, F.J., 45
Rosiak, J., see Zawilska, J.B., 49
Rossi, S., Pasqualetti, P., Tecchio, F., Pauri, F., Rossini, P.M., Corticospinal excitability modulation during mental simulation of wrist movements in human subjects, 147
Rossini, P.M., see Rossi, S., 147

Sánchez, A., see Abad, F., 125
Sántha, P., Pierau, F.-K., Jancsó, G., Evidence for an inhibition by endogenous galanin of neurogenic cutaneous vasodilatation in the pigeon, 101
Sano, M., Sato-Suzuki, I., Fujita, H., Morita, I., Nagao, M., Murota, S.-i., NO is not involved in the simvastatin induced cell division and differentiation in PC12 cells
Sato-Suzuki, I., see Sano, M., 73
Seok Oh, Y., see Ho Won, M., 53
Sergeeva, O.A., Comparison of glycine- and GABA-evoked currents in two types of neurons isolated from the rat striatum, 9
Shin, I.C., see Koh, H.C., 81
Shinkai, T., see Ohmori, O., 109
Shioda, K., see Kohji, T., 133
Shioda, S., Funahashi, H., Nakajo, S., Yada, T., Maruta, O., Nakai, Y., Immunohistochemical localization of leptin receptor in the rat brain, 41
Sjölund, K.-F.,
Sollevi, A., see Sjölund, K.-F., 89
Spano, P., see Paterlini, M., 77
Stanzione, P., see Peppe, A., 5
Stix, B., Reiser, G., β-Amyloid peptide 25–35 regulates basal and hormone-stimulated Ca^{2+} levels in cultured rat astrocytes, 121

Suda, T., see Kageyama, K., 17
Suga, S., Nowak, Jr., T.S., Postischemic hyperthermia increases expression of hsp72 mRNA after brief ischemia in the gerbil, 57
Suzuki, T., see Ohmori, O., 109
Suzuki, T., see Tazaki, M., 69
Szekeres, G., see Kéri, S., 93
Szendi, I., see Kéri, S., 93

Tagliati, M., see Peppe, A., 5
Tamagawa, K., see Kohji, T., 133
Tazaki, M., Suzuki, T., Calcium inflow of hamster Merkel cells in response to hyposmotic stimulation indicate a stretch activated ion channel, 69
Tecchio, F., see Rossi, S., 147
Terao, T., see Ohmori, O., 109
Tohgi, H., Utsugisawa, K., Yoshimura, M., Nagane, Y., Mihara, M., Age-related changes in D_1 and D_2 receptor mRNA expression in postmortem human putamen with and without multiple small infarcts, 37
Torkkeli, P.H., see French, A.S., 113
Toyohira, Y., see Yanagihara, N., 25
Tozawa, F., see Kageyama, K., 17
Travali, S., see D'Agata, V., 137
Tsai, P.-J., see Yang, C.-S., 33

Ueno, S., see Yanagihara, N., 25
Uezono, Y., see Yanagihara, N., 25
Utsugisawa, K., see Tohgi, H., 37

Valerio, A., see Paterlini, M., 77
von Heijne, M., Hao, J.-X., Xu, X.-J., Sollevi, A., Wiesenfeld-Hallin, Z., Intrathecal administration of the adenosine A_1 receptor agonist *R*-phenylisopropyl adenosine reduces presumed pain behaviour in a rat model of central pain, 89
von Heijne, M., see Sjölund, K.-F., 89

Wülfert, E., Georg Margineanu, D., Thapsigargin inhibits bicuculline-induced epileptiform excitability in rat hippocampal slices, 141
Watanobe, H., see Kageyama, K., 17
Weaver, L.C., see Krenz, N.R., 61
Wiesenfeld-Hallin, Z., see Sjölund, K.-F., 89
Wiley, R.G., see Blessing, W.W., 85

Xu, X.-J., see Sjölund, K.-F., 89

Yada, T., see Shioda, S., 41
Yamamoto, H., Maeda, T., Fujimura, M., Fujimiya, M., Urocortin-like immunoreactivity in the substantia nigra, ventral tegmental area and Edinger–Westphal nucleus of rat, 21
Yamashita, U., see Yanagihara, N., 25
Yanagihara, N., Hara, K., Kajiwara, K., Minami, K., Toyohira, Y., Uezono, Y., Ueno, S., Hirano, H., Yamashita, U., Izumi, F., Stimulatory effect of lymphocyte-derived factor on catecholamine efflux from cultured bovine adrenal medullary cells, 25
Yang, C.-S., Tsai, P.-J., Lin, N.-N., Kuo, J.-S., Elevated extracellular glutamate concentrations increased malondialdehyde production in anesthetized rat brain cortex, 33
Yoshimura, M., see Tohgi, H., 37
Yoshio, M., see Hayash, M., 117

Zawilska, J.B., Rosiak, J., Nowak, J.Z., Effects of near-ultraviolet light on the nocturnal serotonin *N*-acetyltransferase activity of rat pineal gland, 49